R.I. ANALYTICAL
Specialists in Environmental Services

LABORATORY REPORT

Coventry Parks & Rec. Dept.
Attn: Mr. Jason Licciardi
1670 Flat River Road
Parks & Recreation Dept.
Coventry, RI 02816

Date Received: 8/15/2016
Date Reported: 8/16/2016
P.O. Number

Work Order #: 1608-18993

Project Name: TOWN BEACHES (2)

Enclosed are the analytical results and Chain of Custody for your project referenced above. The sample(s) were analyzed by our Warwick, RI and /or Hudson, MA laboratories. When applicable, subcontracted results are noted and reports are enclosed in their entirety.

All samples were analyzed within the established guidelines of US EPA approved methods with all requirements met, unless otherwise noted at the end of a given sample's analytical results or in a case narrative.

The Detection Limit is defined as the lowest level that can be reliably achieved during routine laboratory conditions.

These results only pertain to the samples submitted for this Work Order # and this report shall not be reproduced except in its entirety.

We certify that the following results are true and accurate to the best of our knowledge. If you have questions or need further assistance, please contact our Customer Service Department.

Approved by:

Sharon Baker

Sharon Baker
MIS / Data Reporting

Laboratory Certification Numbers (as applicable to sample's origin state):
Warwick RI * RI LAI00033, MA M-RI015, CT PH-0508, ME RI00015, NH 2070, NY 11726
Hudson MA * M-MA1117, RI LAO00319

R.I. Analytical Laboratories, Inc.

Laboratory Report

Coventry Parks & Rec. Dept.
Work Order #: 1608-18993
Project Name: TOWN BEACHES (2)

Sample Number: 001
Sample Description: BRIAR POINT BEACH
Sample Type : GRAB
Sample Date / Time : 8/15/2016 @ 09:02

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE/TIME ANALYZED	ANALYST
Enterococci	2	1.0	MPN/100mls	IDEXX	8/15/2016 11:06	GNA

Sample Number: 002
Sample Description: BREEZY LAKE BEACH
Sample Type : GRAB
Sample Date / Time : 8/15/2016 @ 08:45

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE/TIME ANALYZED	ANALYST
Enterococci	17	1.0	MPN/100mls	IDEXX	8/15/2016 11:06	GNA

R.I. ANALYTICAL
Specialists in Environmental Services

CHAIN OF CUSTODY RECORD

41 Illinois Avenue
Warwick, RI 02888-3007
800-937-2580 • Fax: 401-738-1970

131 Coolidge St., Suite 105
Hudson, MA 01749-1331
800-937-2580 • Fax: 978-568-0078

Date Collected	Time Collected	Field Sample Identification	Grab or Composite	# of Containers & Type C	Preservation Code P	Matrix Code M		Enterococci
8-15-16	9:02am	Briar Point Beach	Gr	ST	NP	SW		✓
8-15-16	8:45am	Breezy Lake Beach	Gr	ST	NP	SW		✓

Client Information

Company Name: Coventry Parks and Recreation Dept
Address: 1670 Flat River Rd
City / State / Zip: Coventry RI 02816
Telephone: 4018229107 Fax: 4018229148
Contact Person:

Project Information

Project Name: Town Beaches (2)
P.O. Number: Kevin McGee Project Number:
Report To: [redacted] Phone: 4018229107 Fax 4018229148
Sampled By: Abby Pimentel
Quote No:
Email report to these addresses: [redacted] apimentel@coventryri.org kmcgee@coventryri.org

Relinquished By Signatures	Date	Time	Received By Signatures	Date	Time
Abby Pimentel	8-15-16	9:23am	[illegible]	8-15-16	9:23

Turn Around Time

✓	Normal	✓	EMAIL Report
	5 Business days. Possible surcharge		
	Rush – Date Due: ___/___/___		

Project Comments

Circle if applicable: GW-1, GW-2, GW-3, S-1, S-2, S-3 MCP Data Enhancement QC Package? Yes No

Report to RIDOH

Temp. Upon Receipt 2.5 °C

Lab Use Only

	Sample Pick-Up Only
	RIAL sampled; attach field hours
✓	Shipped on ice
	Workorder No: 1608-18493

Containers: P=Poly, G=Glass, AG=Amber Glass, V=Vial, St=Sterile Preservatives: A=Ascorbic Acid, NH4=NH_4Cl, H=HCl, M=MeOH, N=HNO_3, NP=None, S=H_2SO_4, SB=$NaHSO_4$, SH=NaOH, T=$Na_2S_2O_3$, Z=ZnOAc
Matrix Codes: GW=Groundwater, SW=Surface Water, WW=Wastewater, DW=Drinking Water, S=Soil, SL=Sludge, A=Air, B=Bulk/Solid, WP=Wipe, O= Fresh water

R.I. ANALYTICAL
Specialists in Environmental Services

LABORATORY REPORT

Coventry Parks & Rec. Dept.
Attn: Mr. Jason Licciardi
1670 Flat River Road
Parks & Recreation Dept.
Coventry, RI 02816

Date Received: 7/27/2016
Date Reported: 7/28/2016
P.O. Number

Work Order #: 1607-17392

Project Name: TOWN BEACHES (2)

Enclosed are the analytical results and Chain of Custody for your project referenced above. The sample(s) were analyzed by our Warwick, RI and /or Hudson, MA laboratories. When applicable, subcontracted results are noted and reports are enclosed in their entirety.

All samples were analyzed within the established guidelines of US EPA approved methods with all requirements met, unless otherwise noted at the end of a given sample's analytical results or in a case narrative.

The Detection Limit is defined as the lowest level that can be reliably achieved during routine laboratory conditions.

These results only pertain to the samples submitted for this Work Order # and this report shall not be reproduced except in its entirety.

We certify that the following results are true and accurate to the best of our knowledge. If you have questions or need further assistance, please contact our Customer Service Department.

Approved by:

Shawn Bakes

Laboratory Certification Numbers (as applicable to sample's origin state):
Warwick RI * RI LAI00033, MA M-RI015, CT PH-0508, ME RI00015, NH 2070, NY 11726
Hudson MA * M-MA1117, RI LAO00319

R.I. Analytical Laboratories, Inc.

Laboratory Report

Coventry Parks & Rec. Dept.

Work Order #: 1607-17392

Project Name: TOWN BEACHES (2)

Sample Number: 001
Sample Description: BRIAR POINT BEACH
Sample Type : GRAB
Sample Date / Time : 7/27/2016 @ 08:03

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE/TIME ANALYZED	ANALYST
Enterococci	20	1.0	MPN/100mls	IDEXX	7/27/2016 10:50	GNA

R.I. ANALYTICAL
Specialists in Environmental Services

CHAIN OF CUSTODY RECORD

41 Illinois Avenue
Warwick, RI 02888-3007
800-937-2580 • Fax: 401-738-1970

131 Coolidge St., Suite 105
Hudson, MA 01749-1331
800-937-2580 • Fax: 978-568-0078

09-21-10

Date Collected	Time Collected	Field Sample Identification	Grab or Composite	# of Containers & Type C	Preservation Code P	Matrix Code M		Enterococci
7/27	8:03	Briar Point Beach	Gr	St	NP	SW		✓
		~~Breezy Lake Beach~~ (KLA)	Gr	St	NP	SW		✓

Client Information

Company Name: Coventry Parks and Recreation Dept
Address: 1670 Flat River Rd.
City / State / Zip: Coventry RI 02816
Telephone: 401-368-3475 Fax: 401-822-9148
Contact Person: Kevin McGee

Project Information

Project Name: Town Beaches (2)
P.O. Number:
Project Number: ~~401-368-3475~~
Report To: Kevin McGee
Phone: 401-368-3475 Fax
Sampled By:
Quote No:
Email report to these addresses: kmcgee@coventryri.org apimentel@coventryri.org

Relinquished By Signatures	Date	Time	Received By Signatures	Date	Time
Katie Field	7/27	8:05	[illegible]	7/27	8:05
[illegible]	7-27-16	8:26	[illegible]	7-27-16	8:26

Turn Around Time

✓ Normal ✓ EMAIL Report
5 Business days. Possible surcharge
Rush – Date Due: ___/___/___

Project Comments

Circle if applicable: GW-1, GW-2, GW-3, S-1, S-2, S-3 MCP Data Enhancement QC Package? Yes No

Report to RI DOH

Temp. Upon Receipt 5.6 °C

Lab Use Only

Sample Pick-Up Only
RIAL sampled; attach field hours
✓ Shipped on ice
Workorder No: 1607-17392

Containers: P=Poly, G=Glass, AG=Amber Glass, V=Vial, St=Sterile Preservatives: A=Ascorbic Acid, NH4=NH_4Cl, H=HCl, M=MeOH, N=HNO_3, NP=None, S=H_2SO_4, SB=$NaHSO_4$, SH=NaOH, T=$Na_2S_2O_3$, Z=ZnOAc
Matrix Codes: GW=Groundwater, SW=Surface Water, WW=Wastewater, DW=Drinking Water, S=Soil, SL=Sludge, A=Air, B=Bulk/Solid, WP=Wipe, O=_____

R.I. Analytical Laboratories, Inc.

Laboratory Report

Coventry Parks & Rec. Dept.

Work Order #: 1607-17119

Project Name: TOWN BEACHES (2)

Sample Number: 001
Sample Description: BRIAR POINT BEACH
Sample Type : GRAB
Sample Date / Time : 7/25/2016 @ 08:15

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE/TIME ANALYZED	ANALYST
Enterococci	64	1.0	MPN/100mls	IDEXX	7/25/2016 10:37	GNA

Sample Number: 002
Sample Description: BREEZY LAKE BEACH
Sample Type : GRAB
Sample Date / Time : 7/25/2016 @ 08:22

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE/TIME ANALYZED	ANALYST
Enterococci	12	1.0	MPN/100mls	IDEXX	7/25/2016 10:37	GNA

R.I. ANALYTICAL
Specialists in Environmental Services

CHAIN OF CUSTODY RECORD

41 Illinois Avenue
Warwick, RI 02888-3007
800-937-2580 • Fax: 401-738-1970

131 Coolidge St., Suite 105
Hudson, MA 01749-1331
800-937-2580 • Fax: 978-568-0078

09-21-10

Date Collected	Time Collected	Field Sample Identification	Grab or Composite	# of Containers & Type C	Preservation Code P	Matrix Code M		Enterococci
7/25	8:15	Briar Point Beach ~~North~~ (KLA)	Gr	St	Np	Sw		✓
~~7/25~~		~~Briar Point Beach North~~	Gr	St	NP	SW		✓
7/25	8:22	Breezy Lake Beach	Gr	St	NP	SW		✓
~~7/25~~		~~Breezy Lake~~ (KLA)	Gr	St	NP	SW		✓

Client Information		Project Information	
Company Name: Coventry Parks and Recreation Dept.		Project Name: Town Beaches (2)	
Address: 1670 Flat River Rd.		P.O. Number:	Project Number:
City / State / Zip: Coventry RI 02816		Report To: Kevin McGee	Phone: 401-368-3475 Fax
Telephone: 401-368-3475	Fax:	Sampled By:	Email report to these addresses: kmcgee@coventryri.org apimentel@coventryri.org
Contact Person: Kim McGee		Quote No:	

Relinquished By Signatures	Date	Time	Received By Signatures	Date	Time
Katie Auld	7/25	8:25	[illegible]	7/25	8:25
			[illegible]	7-25-16	8:25

Turn Around Time	
✓ Normal	✓ EMAIL Report
5 Business days. Possible surcharge	
Rush – Date Due: ___/___/___	

Project Comments

Circle if applicable: GW-1, GW-2, GW-3, S-1, S-2, S-3 MCP Data Enhancement QC Package? Yes No

Report to RI DOH

Temp. Upon Receipt 2.9 °C

Lab Use Only	
	Sample Pick-Up Only
	RIAL sampled; attach field hours
✓	Shipped on ice
Workorder No: 1607-17119	

Containers: P=Poly, G=Glass, AG=Amber Glass, V=Vial, St=Sterile Preservatives: A=Ascorbic Acid, NH4=NH_4Cl, H=HCl, M=MeOH, N=HNO_3, NP=None, S=H_2SO_4, SB=$NaHSO_4$, SH=NaOH, T=$Na_2S_2O_3$, Z=ZnOAc
Matrix Codes: GW=Groundwater, SW=Surface Water, WW=Wastewater, DW=Drinking Water, S=Soil, SL=Sludge, A=Air, B=Bulk/Solid, WP=Wipe, O= freshwater

R.I. ANALYTICAL
Specialists in Environmental Services

LABORATORY REPORT

Coventry Parks & Rec. Dept.
Attn: Mr. Kevin McGee
1670 Flat River Road
Parks & Recreation Dept.
Coventry, RI 02816

Date Received: 7/25/2016
Date Reported: 7/26/2016
P.O. Number

Work Order #: 1607-17119

Project Name: TOWN BEACHES (2)

Enclosed are the analytical results and Chain of Custody for your project referenced above. The sample(s) were analyzed by our Warwick, RI and /or Hudson, MA laboratories. When applicable, subcontracted results are noted and reports are enclosed in their entirety.

All samples were analyzed within the established guidelines of US EPA approved methods with all requirements met, unless otherwise noted at the end of a given sample's analytical results or in a case narrative.

The Detection Limit is defined as the lowest level that can be reliably achieved during routine laboratory conditions.

These results only pertain to the samples submitted for this Work Order # and this report shall not be reproduced except in its entirety.

We certify that the following results are true and accurate to the best of our knowledge. If you have questions or need further assistance, please contact our Customer Service Department.

Approved by:

Laboratory Certification Numbers (as applicable to sample's origin state):
Warwick RI * RI LAI00033, MA M-RI015, CT PH-0508, ME RI00015, NH 2070, NY 11726
Hudson MA * M-MA1117, RI LAO00319